



# **Declaration of performance**

No. LE\_RRT\_DS\_UK\_EN13964\_Stahl

## acc. to regulation (EU) No. 305/2011 (Construction Products Regulation)

#### 1. Unique identification code of the product type

Suspended ceiling substructure component made of steel for use in Lindner Clean Room ceilings

#### 2. Intended use/es

Suspended ceiling substructure component for indoor use

#### 3. Manufacturer

Lindner SE Phone: +49 (0) 8723/20-0
Bahnhofstrasse 29 Email: info@Lindner-Group.com
94424 Arnstorf www.Lindner-Group.com
Germany

#### 4. Harmonised standard

DIN EN 13964: 2014 Labor für Stahl- und Leichtbau - Notified Body Nr. 1643

Notified Body/ies

## 5. Declared performance(s)

Essential characteristics	Performance <sup>2)</sup>	Harmonised standard	AVCP <sup>1)</sup>
Reaction to fire	A1	EN 13964: 2014	3
Load bearing capacity	NPD	EN 13964: 2014	3
Resistance to fixings	NPD	EN 13964: 2014	4
Durability	NPD	EN 13964: 2014	4

<sup>1)</sup> System of assessment and verification of constancy of performance (AVCP)

Specified product properties are only valid when using Lindner original products and in consideration of the Lindner installation and user guidelines.

### 6. Signature

The performance of the product identified above is in conformity with the set of declared performance(s). This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified above. Signed for and on behalf of the manufacturer by:

Name and function: Franz Starzer

Head of Clean Rooms Department

Pour Stark

At (place) on (date of issue): Arnstorf, 20.01.2022

Bahnhofstraße 29 | 94424 Arnstorf Telefon + 49 8723 20-0

<sup>2)</sup> NPD = no performance determined